ಶ್ರೀ ಎಂ. ರಾಮಪ್ಪ.—ಈಗ ಈ ದೇವಸ್ಥಾನದಲ್ಲಿ ಬಹಳವಾಗಿ ದುಡ್ಡು, ಚಿನ್ನ ಇರುವುದರಿಂದ ಜಾಗ್ರತೆಯಾಗಿ ಅಲ್ಲಿ ಒಬ್ಬ ಅಮಲ್ದಾರರನ್ನು ಚೇರ್ಮರನ್ನಾಗಿ ಮಾಡಿ ಒಂದು ಕಮಿಟಿಯನ್ನು ಮಾಡುವುದಕ್ಕೆ ಸರ್ಕಾರಕ್ಕೆ ಏನು ಕಷ್ಟವಿದೆ ?

†Sri KADIDAL MANJAPPA.—We will have to take action under sections 17 and 18 of the Mysore Religious and Charitable Institutions Act. So we will have to follow certain procedure.

Sri M. RAMAPPA.—Is it not possible to take steps within about 15 days or one month ?

Sri KADIDAL MANJAPPA.—I cannot give a definite date. Anyhow the matter is engaging the attention of the Government.

Sri M. RAMAPPA.—Will the Government take immediate steps ?

Sri KADIDAL MANJAPPA.—We have already taken steps. The Assistant Commissioner has gone into that question. The Assistant Commissioner has gone into that question. He has made certain proposals. They are being examined by the Commissioner for Endowments.

Sri J. B. MALLARADHYA.—Is it a major or minor muzrai institution ? What steps will the Government take, under what provision of law ?

Sri KADIDAL MANJAPPA.—Under sections 17 and 18 of the Religious and Charitable Institutions Act, if any institution is being mismanaged, if it is meant for the use of the public and.....

Sri J. B. MALLARADHYA.—The question is whether under the existing circumstances, this particular temple which is the subject-matter of interpellation, comes within the purview of Government interference.

Mr. SPEAKER.—The whole matter is being examined.

Sri KADIDAL MANJAPPA.—The question of taking over the institution under Government management is being examined.

Sri C. J. MUCKANNAPPA.—Sri Karibasaveswara temple is not a muzrai institution. How does this matter lie within the purview of the Revenue Minister ?

Mr. SPEAKER.—The whole matter is being examined, whether Government has any right to take it or not. If the Government has made any order, then only this question will arise. Let him not think that the Government is going to take over the institution when the law does not permit.

WORKS UNDERTAKEN BY THE PUBLIC WORKS DEPARTMENT IN HOSADURGA TALUK.

*Q.—103. Sri B. S. SHANKARAPPA (Hosadurga).—

Will the Government be pleased to state.—

(*a*) the date on which estimates prepared to commence the following works in Hosadurga Taluk :—

(i) Gundihalla Bridge,

(ii) Bridge across Mala Thorihalla in Mothodu Chikka-bekladakere road,

(iii) Bagurkere kodihalla,

(iv) Belagur Tank feeder channel,

(v) Vajra Project and feeder channel to Sreeramapur Hirekere,

(vi) Construction of Kodihalli Tank,

(vii) Bridge in Holalkere-Haliyur road near Sreerampura ;

(*b*) the reasons for the delay in commencing and completing these works early ?

A.—Sri H. K. VEERANNA GOWDH (Minister for Public Works and Electricity).—

(*a*) (i) An estimate amounting to Rs. 1,22,700 was prepared in January 1960 and is under technical scrutiny.

(ii) and (iii) Under investigation.

(iv) The original estimate sanctioned in 1954 is being revised.

(v) Vajra Tank is a completed work. The reasons for leakage are being investigated. The estimates for improvements to the feeder channel to Sriramapur Tank have been sanctioned on 16th May 1960. The works are in progress.

(vi) Sanctioned in October 1959.

(vii) An estimate for Rs. 9,500 was sanctioned on 7th December 1960, and tenders are being invited.

(*b*) (i) As regards Gundihalla bridge the estimate is under technical scrutiny.

As regards (ii) Bridge across Mala Thorihalla in Mothodu Chikka-bekladakere road, and (iii) Bagurkere kodihalla, the question of delay does not arise, since they are under investigation.

(iv) *Belagur Tank feeder channel* : (1) Delay is due to non-availability of labour and contractors and (2) due to unworkable rates provided in the original estimate.

(Sri H. K. VEERANNA GOWDH)

(v) *Vajra Project:* This tank does not retain water for a long period, even during periods of heavy rains, in its catchment; the bund is said to be water-tight, and the leakage is suspected to be due to the porous nature of the soil in the tank bed. The causes are being investigated by conducting necessary tests by the Investigation Unit.

(vi) *Construction of Kodihalli tank*: The estimate had been in correspondence due to (1) want of specific agreement from atchkatdars regarding payment of contribution and (2) question regarding submersible lands, etc.

(vii) *Bridge in Holalkere-Haliyur road near Sreeramapura:* The question of delay does not arise in this case, since the tenders are being invited.

ಶ್ರೀ ಬಿ. ಎಸ್. ಶಂಕರಪ್ಪ.—ಗುಂಡಿಹಳ್ಳ ಸೇತುವೆಗೆ 1,22,700 ರೂಪಾಯಿಗಳ ಅಂದಾಜು ಆಗಿ ಅದು ಇನ್ನೂ ತಾಂತ್ರಿಕ ಪರಿಶೀಲನೆಯಲ್ಲಿದೆ ಎಂದು ನನ್ನ (*a*) (i) ಪ್ರಶ್ನೆಗೆ ಉತ್ತರದಲ್ಲಿ ಹೇಳುತ್ತೀರಿ. 1957ನೇ ಇಸವಿಯಲ್ಲಿ ಈ ಬಗ್ಗೆ ಒಂದು ಅಂದಾಜು ಆಗಿರಲಿಲ್ಲವೇ ?

†ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಅದಕ್ಕೆ ನೋಟೀಸ್ ಬೇಕು.

ಶ್ರೀ ಬಿ. ಎಸ್. ಶಂಕರಪ್ಪ.—ಈ ಪ್ರಾಜೆಕ್ಟಿಗೆ 1957 ರಿಂದಲೂ ಅಂದಾಜು ಮಾಡುವುದು, ಪುನಃ ರಿವೈಜ್ ಮಾಡುವುದು–ಈ ರೀತಿ ಇದುವರೆಗೂ ಬದಲಾವಣೆಯಾಗುತ್ತಲೇ ಬರುತ್ತಿದೆಯೆಂಬುದು ಸರ್ಕಾರಕ್ಕೆ ಗೊತ್ತಿದೆಯೇ ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಅದರಲ್ಲಿ ಸ್ವಲ್ಪ ಬದಲಾವಣೆ ಮಾಡಬೇಕಾದ ಪ್ರಸಂಗ ಬಂದದ್ದರಿಂದ ಆ ರೀತಿಯಾಗಿದೆ. ಈಗ ಕಡೆಯದಾಗಿ ಬರತಕ್ಕ ಅಂದಾಜನ್ನು ಸರ್ಕಾರದವರು ಅಂಗೀಕಾರ ಮಾಡುವುದಕ್ಕೆ ಒಪ್ಪಿಕೊಳ್ಳುತ್ತಾರೆ.

ಶ್ರೀ ಬಿ. ಎಸ್. ಶಂಕರಪ್ಪ.—ಇದಕ್ಕೆ ಈಗ ಟೆಂಡರ್ಸ್ ಕಾರ್‌ಫಾರ್ ಮಾಡಿ ಕೆಲಸ ಪ್ರಾರಂಭ ಮಾಡುವುದಕ್ಕೆ ಸರ್ಕಾರಕ್ಕೆ ಎನು ಕಷ್ಟವಿದೆ ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಈಗ ರೇಟುಗಳಲ್ಲಿ ಅಲ್ಲಿಂದಿಲ್ಲಿಗೆ ವ್ಯತ್ಯಾಸವಾಗುತ್ತಿದೆ.

ಶ್ರೀ ಬಿ. ಎಸ್. ಶಂಕರಪ್ಪ.—ಈ ಬಗ್ಗೆ ಹಿಂದೆ ಟೆಂಡರ್ಸ್ ಕಾರ್‌ಫಾರ್ ಮಾಡಿ ಮತ್ತೆ ಅದನ್ನು ಡೀವಿಯೇಟ್ ಮಾಡಿ ಎಸ್ಟಿಮೇಟ್ ಮಾಡುವುದಕ್ಕೆ ಏನು ಕಾರಣ ?

ಶ್ರೀ ಎಚ್. ಕೆ. ವೀರಣ್ಣಗೌಡ.—ಚೀಫ್ ಇಂಜನಿಯರ್ ಅದನ್ನು ನೋಡಿದ ಮೇಲೆ ನಾವು ವೆಂಟ್ಸ್ ಎಂದು ಏನು ಹೇಳುತ್ತೆವೆ ಅದನ್ನು ಎರಡು ಕಮಾನುಗಳ ರೀತಿ ಹಾಕಿ ಮಾಡುವುದಕ್ಕೆ ಸಾಧ್ಯವಿಲ್ಲವೇ ಎಂದು ಸಲಹೆ ಕೊಟ್ಟರು. ಅದಕ್ಕಾಗಿ ಪುನಃ ಒಂದು ಅಂದಾಜನ್ನು ತಯಾರು ಮಾಡುತ್ತಿದ್ದೇವೆ.

CREATION OF TWO POSTS OF ADDITIONAL AND JOINT DIRECTOR OF PUBLIC INSTRUCTION.

*Q.—153. Sri K. L. NARASIMHAIAH (Hebbur).—

Will the Government be pleased to state .—

(*a*) when the two posts of Additional and Joint Director of Public Instruction were created;

(*b*) whether any powers vested in or delegated to them?